


# QP-400 TYPE Take-up Machine

Save Labor

Stable Operation

Neat Traverse Wire




# PRODUCT PARAMETERS


Model Number	QP400
Fit Diameter	ø0.1-30mm round wire, flat wire, tube
Fit Coil	Outer diameter less than 400mm, inner hole more than 25mm, width less than 300mm
Take-up Speed	280 RPM (customizable speed)
Wiring Mode	rolling ring drive (L=450MM)
Load-Bearing	30kgs
Motor Power	0.75 kw
Voltage	Single-phase power 220v 50hz
Package Size	1.01 * 0.75 * 1 m
weight	112kgs

<b>Optional</b>	
<b>Meter Count</b>	Set the number of meters, and the machine will automatically alarm and stop when the number of meters is reached. -- include
<b>Magnetic Particle</b>	Equipped with assembly line to keep line speed synchronized and prevent strain
<b>Torque Motor Controller</b>	Automatically adjust the winding speed according to the torque

## Product Size:




# OPTIONAL



## Optional 1



**Meter Count**



**Induction Probe**

Set the number of meters, and the machine will automatically alarm and stop when the number of meters is reached

## Optional 2



### Torque Motor Controller

Automatically adjust the winding speed according to the torque

## Optional 3



### Magnetic Particle

---

Equipped with assembly line to keep line speed synchronized and prevent strain


# APPLICABLE TO VARIOUS LINES



Cable



Copper Wire




Aluminium Wire



Flat Wire



Adhesive Strip



Flat Braided Wire


# PRODUCT DETAILS

1




Frequency converter, adjustable speed range

2



Light bar arranger with adjustable width for different bobbins

3




Fixed 'L' shape, the rack is more stable

4




With a slope, workers can operate more conveniently

# MASS PRODUCTION



# FACTORY PACKAGING



# PRODUCT PICTURE



